

Five Star Chemicals & Supply, Inc. Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012. Inc. Revision date: 04/22/2021 Version: 2.0

| SECTION 1: Identification | |
|---|---|
| 1.1. Identification | |
| Product form | : Mixture |
| Product name | : PBW Liquid Cleaner |
| 1.2. Recommended use and restriction | ins on use |
| Use of the substance/mixture | : Cleaner |
| 1.3. Supplier | |
| Manufacturer Five Star Chemicals & Supply Inc. 6870 W. 52nd Ave. Suite 205. Arvada, CO 80002 - USA T +1-914-963-2042 F +1-914-963-2145 info@urnex.com | |
| 1.4. Emergency telephone number | |
| Emergency number | : US/Canada (Infotrac): 1-800-535-5053; |
| SECTION 2: Hazard(s) identification | n |
| 2.1. Classification of the substance of | |
| GHS US classification | |
| Skin Irrit. 2 | |
| Eye Irrit. 2A | |
| - | |
| 2.2. GHS Label elements, including pr | recautionary statements |
| GHS US labeling | |
| Hazard pictograms (GHS US) | |
| Signal word (GHS US) | : Warning |
| Hazard statements (GHS US) | : Causes skin irritation Causes serious eye irritation |
| Precautionary statements (GHS US) | Wash hands thoroughly after handling. Wear protective gloves, eye protection. If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| 2.3. Other hazards which do not result | It in classification |
| No additional information available | |
| 2.4. Unknown acute toxicity (GHS US) Not applicable |) |
| SECTION 3: Composition/Informat | tion on ingredients |
| 3.1. Substances | |
| Not applicable | |
| 3.2. Mixtures | |
| | |

| Name | Product identifier | % |
|--------------------------|---------------------|-------|
| Sodium metasilicate | (CAS-No.) 6834-92-0 | 1 - 3 |
| Sodium 1-octanesulfonate | (CAS-No.) 5324-84-5 | 1 - 3 |

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

| SECTION 4: First-aid measures | |
|---|--|
| 4.1. Description of first aid measures | |
| First-aid measures after inhalation | : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell. |
| First-aid measures after skin contact | : IF ON SKIN: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. |
| First-aid measures after eye contact | : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion | : Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell. |
| 4.2. Most important symptoms and effects | (acute and delayed) |
| Symptoms/effects after inhalation | : May cause irritation to the respiratory tract. |
| Symptoms/effects after skin contact | : Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. |
| Symptoms/effects after eye contact | : Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. |
| Symptoms/effects after ingestion | : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea. |
| 4.3. Immediate medical attention and spec | ial treatment, if necessary |
| Symptoms may be delayed. In case of accident or | if you feel unwell, seek medical advice immediately (show the label where possible). |
| SECTION 5: Fire-fighting measures | |
| 5.1. Suitable (and unsuitable) extinguishin | ig media |
| Suitable extinguishing media | : Use extinguishing media appropriate for surrounding fire. |
| Unsuitable extinguishing media | : None known. |
| 5.2. Specific hazards arising from the che | nical |
| Fire hazard | : Products of combustion may include, and are not limited to: oxides of carbon. |
| 5.3. Special protective equipment and pre | cautions for fire-fighters |
| Protection during firefighting | : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). |
| | |

| SECTI | ON 6: Accidental release measu | res | |
|-------------------------------|---|---|--|
| 6.1. | Personal precautions, protective equipment and emergency procedures | | |
| Genera | al measures | : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. | |
| 6.1.1. | For non-emergency personnel | | |
| No addit | ional information available | | |
| 6.1.2. | For emergency responders | | |
| No addit | ional information available | | |
| 6.2. | Environmental precautions | | |
| Prevent | entry to sewers and public waters. | | |
| 6.3. | Methods and material for containment | and cleaning up | |
| For containment | | : Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE). | |
| Method | ls for cleaning up | : Sweep or shovel spills into appropriate container for disposal. Provide ventilation. | |
| 6.4. | Reference to other sections | | |
| For furth | er information refer to section 8: "Exposure | controls/personal protection" | |
| SECTI | ON 7: Handling and storage | | |
| 7.1. | Precautions for safe handling | | |
| Precautions for safe handling | | : Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. | |
| Hygiene measures | | : Wash contaminated clothing before reuse. Always wash hands after handling the product. | |

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep out of the reach of children. Store tightly closed in a dry, cool and well-ventilated place.

SECTION 8: Exposure controls/personal protection

| 8.1. | Control parameters |
|------|------------------------------------|
| PE | 3W Liquid Cleaner |
| No | additional information available |
| Sc | dium 1-octanesulfonate (5324-84-5) |
| No | additional information available |
| Sc | odium metasilicate (6834-92-0) |
| No | additional information available |

8.2. Appropriate engineering controls

Appropriate engineering controls Environmental exposure controls Ensure good ventilation of the work station.Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Wear suitable gloves resistant to chemical penetration

Eye protection:

Wear eye/face protection

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

| SECTION 9: Physical and chemical properties | | | |
|--|---|-----|--|
| 9.1. Information on basic physical and chemical properties | | | |
| Physical state | : Liquid | | |
| Appearance | : Liquid. | | |
| Color | : Colorless | | |
| Odor | : No data available | | |
| Odor threshold | : No data available | | |
| рН | : 12.5 (Alkali Reserve = 1.34 g/100 mL) | | |
| Melting point | : No data available | | |
| Freezing point | : No data available | | |
| Boiling point | : No data available | | |
| Flash point | : No data available | | |
| Relative evaporation rate (butyl acetate=1) | : No data available | | |
| Flammability (solid, gas) | : Not flammable. | | |
| Vapor pressure | : No data available | | |
| Relative vapor density at 20 °C | : No data available | | |
| Relative density | : No data available | | |
| Solubility | : No data available | | |
| Partition coefficient n-octanol/water | : No data available | | |
| Auto-ignition temperature | : No data available | | |
| Decomposition temperature | : No data available | | |
| 04/22/2021 | EN (English US) | 3/6 | |

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

| ccording to the Hazard Communication Standard (CF | R29 1910.1200) HazCom 2012. | |
|---|---|--|
| Viscosity, kinematic | : No data available | |
| Viscosity, dynamic | : No data available | |
| Explosion limits | : No data available | |
| Explosive properties | : No data available | |
| Oxidizing properties : No data available | | |
| 0.2. Other information | | |
| Alkali Reserve | : 1.34 g/100 mL | |
| | 4 | |
| SECTION 10: Stability and reactivi | ty . | |
| 10.1. Reactivity | | |
| No dangerous reactions known under normal | conditions of use. | |
| 10.2. Chemical stability | | |
| Stable under normal conditions. | | |
| 10.3. Possibility of hazardous reaction | S | |
| No dangerous reactions known under normal | conditions of use. | |
| 10.4. Conditions to avoid | | |
| Heat. Incompatible materials. | | |
| 10.5. Incompatible materials | | |
| Strong bases. Acids. | | |
| 10.6. Hazardous decomposition produc | cts | |
| May include, and are not limited to: oxides of o | | |
| • | | |
| SECTION 11: Toxicological inform | | |
| 11.1. Information on toxicological effect | | |
| Acute toxicity (oral) | : Not classified : Not classified | |
| Acute toxicity (dermal) Acute toxicity (inhalation) | : Not classified | |
| | | |
| PBW Liquid Cleaner | | |
| ATE US oral rat | 38433.3 mg/kg | |
| Sodium metasilicate (6834-92-0) | | |
| LD50 oral rat | 1153 mg/kg | |
| LD50 dermal rat | > 5000 mg/kg body weight Animal: rat, Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity) | |
| LC50 inhalation rat | > 2.06 mg/l air Animal: rat, Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity) | |
| Skin corrosion/irritation | : Causes skin irritation. | |
| | pH: 12.5 | |
| | Alkali Reserve = 1.34 g/100 mL | |
| Serious eye damage/irritation | : Causes serious eye irritation. | |
| | (Alkali/acid reserve method) | |
| | pH: 12.5 | |
| Poppiratory or akin according | Alkali Reserve = 1.34 g/100 mL | |
| Respiratory or skin sensitization Germ cell mutagenicity | : Not classified : Not classified | |
| Carcinogenicity | : Not classified | |
| Reproductive toxicity | : Not classified | |
| STOT-single exposure | : Not classified | |
| | | |
| Sodium metasilicate (6834-92-0) | | |
| STOT-single exposure | May cause respiratory irritation. | |
| STOT-repeated exposure | : Not classified | |
| Aspiration hazard | : Not classified | |
| Viscosity, kinematic | : No data available | |
| | | |

EN (English US)

PBW Liquid Cleaner Safety Data Sheet

| according to the Hazard Communication Standard (CFR29 | 1910.1200) HazCom 2012. |
|--|---|
| Symptoms/effects after inhalation | : May cause irritation to the respiratory tract. |
| Symptoms/effects after skin contact | : Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. |
| Symptoms/effects after eye contact | : Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. |
| Symptoms/effects after ingestion | : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea. |
| Other information | : Likely routes of exposure: ingestion, inhalation, skin and eye. |
| SECTION 12: Ecological information | |
| 12.1. Toxicity | |
| Ecology - general | : May cause long-term adverse effects in the aquatic environment. |
| Sodium metasilicate (6834-92-0) | |
| LC50 - Fish [1] | 210 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static]) |
| EC50 - Crustacea [1] | 1700 mg/l Test organisms (species): Daphnia magna |
| LC50 - Fish [2] | 210 mg/l (Exposure time: 96 h - Species: Brachydanio rerio) |
| 12.2. Persistence and degradability | |
| PBW Liquid Cleaner | |
| Persistence and degradability | Not established. |
| 12.3. Bioaccumulative potential | |
| PBW Liquid Cleaner | |
| Bioaccumulative potential | Not established. |
| 12.5. Other adverse effects Other information •••••••••••••••••••••••••••••••••••• | : No other effects known. |
| SECTION 13: Disposal considerations | |
| 13.1. Disposal methods | |
| Product/Packaging disposal recommendations | : Dispose in a safe manner in accordance with local/national regulations. |
| SECTION 14: Transport information | |
| Department of Transportation (DOT) | |
| In accordance with DOT | |
| Not regulated | |
| Air transport | |
| Not regulated | |
| SECTION 15: Regulatory information | |
| 15.1. US Federal regulations | |
| Ŭ | uded from listing, on the United States Environmental Protection Agency Toxic Substances Control |
| 15.2. International regulations | |
| No additional information available | |
| 15.3. US State regulations | |
| | contain any substances known to the state of California to cause cancer, developmental |
| SECTION 16: Other information | |
| SECHON 10. Other information | |

| SECTION 16: Other inf | brmation | |
|------------------------------|--------------|--|
| Issue date | : 09/18/2020 | |
| | | |

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

| Revision date | : 04/22/2021 |
|-------------------|--------------|
| Other information | : None. |

Indication of changes:

SDS update. Composition/Information on ingredients.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.